

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,087,048
APPLICATION NO.: 10/762,034
ISSUE DATE: : August 8, 2006
INVENTOR(S) : Anette Israelsson et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover page 3, first column, in the Hellstrom entry, "1991.ur" should be -- 1991. --;
second column, in the Perkash entry, "catheterisatin" should be -- catheterisation --;
in the Vaidyanathian entry, "preforming" should be -- performing --.

Column 1, line 7, "of," should be -- of copending, --

Claim 5, column 10, line 31, "alter " should be -- after --.

Claim 43, column 13, line 58, "chanter;" should be -- chamber; --; line 62, "chanter;" should be -- chamber; --.

Claim 59, column 14, line 65, after "for" should be inserted -- applying said predetermined condition comprises a tab at said --.

Claim 64, column 16, line 12, "chanter." should be -- chamber. --.

Claim 66, column 16, line 19, "chatter" should be -- chamber --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Fish & Neave IP Group
Ropes & Gray LLP
1251 Avenue of the Americas C3
New York, New York 10020-1105

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

American LegalNet, Inc.
www.USCourtForms.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

Patentees : Anette Israelsson et al.
Assignee : AstraZeneca AB
Patent No. : 7,087,048 Confirmation No. : 3924
Issued : August 8, 2006
For : HYDROPHILIC URINARY CATHETER
HAVING A WATER-CONTAINING SACHET
Art Unit : 3761
Examiner : Michele M. Kidwell

New York, New York 10020
November 15, 2006

Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

REQUEST UNDER 37 C.F.R. §§ 1.322 AND
1.323 FOR OF CERTIFICATE OF CORRECTION

Sir:

Enclosed is one (1) sheet of Form PTO-1050 listing printing errors that have been found in the above-identified patent. With the exception of the error on Cover Page 3 in the entry for the Vaidyanathian reference, the errors are believed to be the responsibility of the Patent and Trademark Office.

Accordingly, patentees and assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction Under 37 C.F.R. §§ 1.322 and 1.323.

The Director is hereby authorized to charge \$100.00, in payment of the fee set forth in 37 C.F.R. § 1.20(a), and

any other fee that may be due in connection with this Request,
to Deposit Account No. 06-1075.

Respectfully submitted,

/Jeffrey H. Ingerman/

Jeffrey H. Ingerman
Reg. No. 31,069
Attorney for Patentees
and Assignee
FISH & NEAVE IP GROUP
ROPES & GRAY LLP
Customer No. 1473
1251 Avenue of the Americas
New York, New York 10020-1105
Tel.: (212) 596-9000